

**U.S. Environmental Protection Agency Region 6
Federal On-Scene Coordinator Authorization of Discharge**

At the request of Intercontinental Terminals Company LLC's (ITC), with concurrence from TCEQ, and pursuant to EPA's emergency response authorities, EPA is authorizing the treatment and discharge of the incident-related wastewater from Tank 80-34 through the on-site wastewater treatment system. This action will allow rain water collected in other operational areas outside of the response area to be treated and discharged through the facility's wastewater treatment system and not compound the problems associated with incident related wastewater storage.

Urgent circumstances surrounding the on-going emergency response resulting from the March 17, 2019, incident at the ITC Deer Park, Texas facility exist. These circumstances include but are not limited to the following:


- 1) The on-going response and significant rainfall in the area has resulted in an ever-growing volume of wastewater contaminated with hazardous substances that may soon exceed current storage capacity at ITC's facility.
- 2) Additional rains are predicted in the coming days and weeks.
- 3) ITC's wastewater treatment storage tanks currently contain post incident contaminated wastewater, which is preventing the authorized treatment and discharge of non-incident wastewater.
- 4) If the current storage volumes are exceeded, response operations may be delayed or halted, and additional rain events may result in the discharge of untreated wastewater into Tucker Bayou and Buffalo Bayou.
- 5) On April 13, 2019, ITC submitted a Request for One-Time Authorization of Discharge of Incident-Related Wastewater and Continuing Discharge of Non-Incident Related Wastewater.

The circumstances above may present an imminent and substantial endangerment of a release or a threat of a release into the environment of hazardous substances and a substantial threat of an additional discharge of oil or hazardous substances to Tucker Bayou and Buffalo Bayou, and their adjoining shorelines, which are navigable waters of the United States. Pursuant to the Clean Water Act (CWA), the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), The National Oil and Hazardous Substance Pollution Contingency Plan (NCP), and the March 23, 2019 Clean Water Act Section 311(c) and (e) Order, the following authorization is issued to prevent the further release of untreated wastewater:

Respondent is authorized to perform the following actions, under the following conditions:

- 1) Discharge the effluent following treatment in the on-site wastewater treatment system, of the current contents of Tank 80-34, through outfall 002. Outfall 002 is the outfall authorized under the facility's wastewater permit for the discharge of process wastewater;

- 2) the discharge shall be contingent upon the bench scale treatability study provided to TCEQ and EPA on April 7, 2019, being representative of the contents of the wastewater treatment storage tank 80-34, which is the subject of ITC's request;
- 3) the discharge shall be contingent upon incident wastewater in tank 80-34, having not come into contact with the contents of tank 80-13, which contained toluene, or the contents of any other tank containing a product whose sole active ingredient appears on the RCRA "P" or "U" list;
- 4) the effluent discharged during this one-time authorization shall be sampled in accordance with the requirements set forth in TPDES permit No. 0001984000, in addition, and shall also be subject to the limitations in the attached table entitled: Effluent Limitations and Monitoring Requirements;
- 5) ITC shall seek and receive approval from TCEQ after reviewing sampling data of the treated wastewater from tank 80-34 prior to resuming normal operations under permit; and,
- 6) ITC shall diligently pursue additional options to manage the wastewater that has accumulated as a result of the fire suppression efforts in response to the incident that began at the facility on March 17, 2019.


Gary Moore
Federal On-Scene Coordinator
U.S. Environmental Protection Agency Region 6

Date: 4/17/19

Attachment

EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Outfall Number 002

| Effluent Characteristics | Minimum Self-Monitoring Requirements | | | |
|---|--------------------------------------|-----------------------|---|-------------|
| | Daily Average µg/L | Daily Maximum µg/L | Report Daily Average and Daily Maximum Measurement Frequency | Sample Type |
| Flow | Report, MGD | 0.300 MGD | 1/day | Record |
| Carbonaceous Biochemical Oxygen Demand (5-day) | N/A | 19800 | | |
| Chemical Oxygen Demand | N/A | 55000 | 1/day | Composite |
| Total Organic Carbon | N/A | Report | 1/day | Composite |
| Oil & Grease | N/A | 10100 | 1/day | Grab |
| Total Dissolved Solids | N/A | Report | 1/day | Composite |
| Chloride | N/A | Report | 1/day | Composite |
| Perfluoro-n-octane Sulfonate | N/A | Report | 1/day | Composite |
| Enterococci | N/A | 104 | 1/day | Grab |
| Cyanide, Free (*1) | N/A | 2.2 | 1/day | Grab |
| Arsenic, Total | N/A | 62.0 | 1/day | Composite |
| Cadmium, Total | N/A | 7.00 | 1/day | Composite |
| Chromium, Hexavalent | N/A | 44.4 | 1/day | Grab |
| Chromium, Total | N/A | 190 | 1/day | Composite |
| Cobalt, Total | N/A | 16700 | 1/day | Composite |
| Copper, Total | N/A | 5.7 | 1/day | Composite |
| Lead, Total | N/A | 11.0 | 1/day | Composite |
| Mercury, Total | N/A | 0.015 | 1/day | Composite |
| Nickel, Total | N/A | 11.0 | 1/day | Composite |
| Selenium, Total | N/A | 121 | 1/day | Composite |

TPDES Permit No. WQ0001984000

Intercontinental Terminals Company LLC

| Effluent Characteristics | Minimum Self-Monitoring Requirements | | | |
|---|--------------------------------------|---------------|--|-------------|
| | Daily Average | Daily Maximum | Report Daily Average and Daily Maximum | |
| | µg/L | µg/L | Measurement Frequency | Sample Type |
| Silver, Total | N/A | 2.18 | 1/day | Composite |
| Thallium, Total | N/A | 0.314 | 1/day | Composite |
| Tin, Total | N/A | 150 | 1/day | Composite |
| Zinc, Total | N/A | 70.0 | 1/day | Composite |
| 1,1,1,2-Tetrachloroethane | N/A | 21.0 | 1/day | Composite |
| 1,1,1-Trichloroethane | N/A | 7100 | 1/day | Composite |
| 1,1,2,2-Tetrachloroethane | N/A | 26.35 | 1/day | Composite |
| 1,1,2-Trichlor-1,2,2-trifluoroethane | N/A | 6040000 | 1/day | Composite |
| 1,1,2-Trichloroethane | N/A | 21.0 | 1/day | Composite |
| 1,1'-Biphenyl | N/A | 3520 | 1/day | Composite |
| 1,1-Dichloroethane | N/A | 22.0 | 1/day | Composite |
| 1,1-Dichloroethylene [1,1-Dichloroethene] | N/A | 16.0 | 1/day | Composite |
| 1,1-Dichloropropene | N/A | 62200 | 1/day | Composite |
| 1,2,3-Trichlorobenzene | N/A | 171 | 1/day | Composite |
| 1,2,3-Trichloropropane | N/A | 165 | 1/day | Composite |
| 1,2,4,5-Tetrachlorobenzene | N/A | 0.328 | 1/day | Composite |
| 1,2,4-Trichlorobenzene | N/A | 0.076 | 1/day | Composite |
| 1,2,4-Trimethylbenzene | N/A | 217 | 1/day | Composite |
| 1,2-Dibromo-3-chloropropane | N/A | 11300 | 1/day | Composite |
| 1,2-Dibromoethane | N/A | 4.24 | 1/day | Composite |

TPDES Permit No. WQ0001984000

Intercontinental Terminals Company LLC

| Effluent Characteristics | Minimum Self-Monitoring Requirements | | | |
|---|--------------------------------------|---------------|--|-------------|
| | Daily Average | Daily Maximum | Report Daily Average and Daily Maximum | |
| | µg/L | µg/L | Measurement Frequency | Sample Type |
| 1,2-Dibromoethane [Ethylene Dibromide] | N/A | 5.79 | 1/day | Composite |
| 1,2-Dichloroethane | N/A | 68.0 | 1/day | Composite |
| 1,2-Dichloropropane | N/A | 153 | 1/day | Composite |
| 1,2-Diphenylhydrazine | N/A | 2.00 | 1/day | Composite |
| 1,2- <i>trans</i> -Dichloroethylene | N/A | 21.0 | 1/day | Composite |
| 1,3,5-Trimethylbenzene | N/A | 3050 | 1/day | Composite |
| 1,3-Dichloropropene [1,3-Dichloropropylene] | N/A | 29.0 | 1/day | Composite |
| 2,2-Dichloropropane | N/A | 163 | 1/day | Composite |
| 2,2'-Oxybis(1-chloropropane) | N/A | 181 | 1/day | Composite |
| 2,4,5 Trichlorophenol | N/A | 10.7 | 1/day | Composite |
| 2,4,5-TP [Silvex] | N/A | 504 | 1/day | Composite |
| 2,4,5-Trichlorophenol | N/A | 12.0 | 1/day | Composite |
| 2,4,6-Trichlorophenol | N/A | 28.0 | 1/day | Composite |
| 2,4-Dichlorophenol | N/A | 39.0 | 1/day | Composite |
| 2,4-Dimethylphenol | N/A | 18.0 | 1/day | Composite |
| 2,4-Dinitrophenol | N/A | 71.0 | 1/day | Composite |
| 2,4-Dinitrotoluene | N/A | 17.0 | 1/day | Composite |
| 2,6-Dinitrotoluene | N/A | 30.0 | 1/day | Composite |
| 2-Butanone | N/A | 1650 | 1/day | Composite |
| 2-Chloronaphthalene | N/A | 1000 | 1/day | Composite |
| 2-Chlorophenol | N/A | 31.0 | 1/day | Composite |
| TPDES Permit No. WQ0001984000 | | | Intercontinental Terminals Company LLC | |

| Effluent Characteristics | Minimum Self-Monitoring Requirements | | | |
|--|--------------------------------------|---------------|--|-------------|
| | Daily Average | Daily Maximum | Report Daily Average and Daily Maximum | |
| | µg/L | µg/L | Measurement Frequency | Sample Type |
| 2-Hexanone | N/A | 33400 | 1/day | Composite |
| 2-Methylnaphthalene | N/A | 30.0 | 1/day | Composite |
| 2-Methylphenol | N/A | 510 | 1/day | Composite |
| 2-Nitroaniline | N/A | 136 | 1/day | Composite |
| 2-Nitrophenol | N/A | 41.0 | 1/day | Composite |
| 3&4-Methylphenol | N/A | 9301 | 1/day | Composite |
| 3,3'-Dichlorobenzidine | N/A | 2.24 | 1/day | Composite |
| 3,4-Benzofluoranthene | N/A | 23.0 | 1/day | Composite |
| 3-Nitroaniline | N/A | 177 | 1/day | Composite |
| 4,4'-DDD | N/A | 0.00273 | 1/day | Composite |
| 4,4'-DDE | N/A | 0.000177 | 1/day | Composite |
| 4,4'-DDT | N/A | 0.000546 | 1/day | Composite |
| 4,4'-Isopropylidenediphenol [Bisphenol A] | N/A | 21848 | 1/day | Composite |
| 4,6-Dinitro-2-methylphenol | N/A | 1100 | 1/day | Composite |
| 4,6-Dinitro- <i>o</i> -cresol | N/A | 78.0 | 1/day | Composite |
| 4-Chloro-3-methylphenol | N/A | 870 | 1/day | Composite |
| 4-Chloroaniline | N/A | 2140 | 1/day | Composite |
| 4-Methyl-2-pentanone | N/A | 61500 | 1/day | Composite |
| 4-Nitroaniline | N/A | 966 | 1/day | Composite |
| 4-Nitrophenol | N/A | 72.0 | 1/day | Composite |
| Acenaphthene | N/A | 22.0 | 1/day | Composite |

TPDES Permit No. WQ0001984000

Intercontinental Terminals Company LLC

| Effluent Characteristics | Minimum Self-Monitoring Requirements | | | |
|-------------------------------|--------------------------------------|---------------|--|-------------|
| | Daily Average | Daily Maximum | Report Daily Average and Daily Maximum | |
| | µg/L | µg/L | Measurement Frequency | Sample Type |
| Acenaphthylene | N/A | 22.0 | 1/day | Composite |
| Acetone | N/A | 7110 | 1/day | Composite |
| Acetophenone | N/A | 50.0 | 1/day | Composite |
| Acrylonitrile | N/A | 96.0 | 1/day | Composite |
| Aldrin | N/A | 0.0000156 | 1/day | Composite |
| Ammonia Nitrogen | N/A | 4960 | 1/day | Composite |
| Aniline | N/A | 4690 | 1/day | Composite |
| Anthracene | N/A | 0.18 | 1/day | Composite |
| Antimony | N/A | 1464 | 1/day | Composite |
| Atrazine | N/A | 55600 | 1/day | Composite |
| Benzaldehyde | N/A | 42600 | 1/day | Composite |
| Benzene | N/A | 37.0 | 1/day | Composite |
| Benzidine | N/A | 0.146 | 1/day | Composite |
| Benzo(a)anthracene | N/A | 0.025 | 1/day | Composite |
| Benzo(a)pyrene | N/A | 0.0025 | 1/day | Composite |
| Benzo(b)fluoranthene | N/A | 0.013 | 1/day | Composite |
| Benzo(k)fluoranthene | N/A | 0.13 | 1/day | Composite |
| Benzoic Acid | N/A | 0.29 | 1/day | Composite |
| Benzyl alcohol | N/A | 0.29 | 1/day | Composite |
| Bis(2-chloroethoxy)methane | N/A | 12300 | 1/day | Composite |
| Bis(2-chloroethyl)ether | N/A | 58.5 | 1/day | Composite |
| Bis(2-chloroisopropyl)ether | N/A | 181 | 1/day | Composite |
| TPDES Permit No. WQ0001984000 | | | Intercontinental Terminals Company LLC | |

| Effluent Characteristics | Minimum Self-Monitoring Requirements | | | |
|---|--------------------------------------|---------------|--|-------------|
| | Daily Average | Daily Maximum | Report Daily Average and Daily Maximum | |
| | µg/L | µg/L | Measurement Frequency | Sample Type |
| Bis(2-ethylhexyl) phthalate [Di(2-ethylhexyl) phthalate] | N/A | 7.55 | 1/day | Composite |
| Bis(chloromethyl)ether | N/A | 0.375 | 1/day | Composite |
| Bromobenzene | N/A | 4200 | 1/day | Composite |
| Bromochloromethane | N/A | 26800 | 1/day | Composite |
| Bromodichloromethane [Dichlorobromomethane] | N/A | 275 | 1/day | Composite |
| Bromoform [Tribromomethane] | N/A | 1060 | 1/day | Composite |
| Butyl benzyl phthalate | N/A | 80.0 | 1/day | Composite |
| Caprolactam | N/A | 408000 | 1/day | Composite |
| Carbaryl | N/A | 288 | 1/day | Composite |
| Carbazole | N/A | 250 | 1/day | Composite |
| Carbon disulfide | N/A | 34300 | 1/day | Composite |
| Carbon Tetrachloride | N/A | 18.0 | 1/day | Composite |
| Chlordane | N/A | 0.00341 | 1/day | Composite |
| Chlorobenzene | N/A | 15.0 | 1/day | Composite |
| Chlorodibromomethane [Dibromochloromethane] | N/A | 80.0 | 1/day | Composite |
| Chloroethane | N/A | 104 | 1/day | Composite |
| Chloroform [Trichloromethane] | N/A | 21.0 | 1/day | Composite |
| Chloromethane | N/A | 13500 | 1/day | Composite |
| Chlorpyrifos | N/A | 0.00517 | 1/day | Composite |
| Chrysene | N/A | 2.52 | 1/day | Composite |

TPDES Permit No. WQ0001984000

Intercontinental Terminals Company LLC

| Effluent Characteristics | Minimum Self-Monitoring Requirements | | | |
|--|--------------------------------------|---------------|--|-------------|
| | Daily Average | Daily Maximum | Report Daily Average and Daily Maximum | |
| | µg/L | µg/L | Measurement Frequency | Sample Type |
| cis-1,2-Dichloroethene (cis and trans) | N/A | 1120 | 1/day | Composite |
| cis-1,2-Dichloroethylene | N/A | 4180 | 1/day | Composite |
| cis-1,3-Dichloropropene | N/A | 40.0 | 1/day | Composite |
| Cresols [Methylphenols] | N/A | 12715 | 1/day | Composite |
| Cyclohexane | N/A | 295000 | 1/day | Composite |
| Danitol [Fenpropathrin] | N/A | 646 | 1/day | Composite |
| Demeton | N/A | 0.0896 | 1/day | Composite |
| Diazinon | N/A | 0.385 | 1/day | Composite |
| Dibenzo(a,h)anthracene | N/A | 0.0013 | 1/day | Composite |
| Dibenzofuran | N/A | 65.0 | 1/day | Composite |
| Dichlorodifluoromethane | N/A | 37600 | 1/day | Composite |
| Dichloromethane [Methylene Chloride] | N/A | 40.0 | 1/day | Composite |
| Dicofol [Kelthane] | N/A | 0.41 | 1/day | Composite |
| Dieldrin | N/A | 0.0000273 | 1/day | Composite |
| Diethyl phthalate | N/A | 81.0 | 1/day | Composite |
| Dimethyl phthalate | N/A | 19.0 | 1/day | Composite |
| Di- <i>n</i> -butyl phthalate | N/A | 5.00 | 1/day | Composite |
| Dioxins/Furans [TCDD Equivalents] | N/A | 0.000000108 | 1/day | Composite |
| Endosulfan I (alpha) | N/A | 0.00807 | 1/day | Composite |
| Endosulfan II (beta) | N/A | 0.00807 | 1/day | Composite |

TPDES Permit No. WQ0001984000

Intercontinental Terminals Company LLC

Effluent Characteristics

Minimum Self-Monitoring Requirements

| | Daily Average | Daily Maximum | Report Daily Average and Daily Maximum | |
|---|---------------|---------------|--|-------------|
| | µg/L | µg/L | Measurement Frequency | Sample Type |
| Endosulfan sulfate | N/A | 0.00807 | 1/day | Composite |
| Endrin | N/A | 0.00179 | 1/day | Composite |
| Epichlorohydrin | N/A | 2751 | 1/day | Composite |
| Ethylbenzene | N/A | 32.0 | 1/day | Composite |
| Ethylene Glycol | N/A | 22967280 | 1/day | Composite |
| Fluoranthene | N/A | 2.96 | 1/day | Composite |
| Fluorene | N/A | 22.0 | 1/day | Composite |
| Guthion [Azinphos Methyl] | N/A | 0.00896 | 1/day | Composite |
| Heptachlor | N/A | 0.000136 | 1/day | Composite |
| Heptachlor Epoxide | N/A | 0.000396 | 1/day | Composite |
| Hexachlorobenzene | N/A | 0.00068 | 1/day | Composite |
| Hexachlorobutadiene | N/A | 0.22 | 1/day | Composite |
| Hexachlorocyclohexane (alpha) | N/A | 0.0114 | 1/day | Composite |
| Hexachlorocyclohexane (beta) | N/A | 0.355 | 1/day | Composite |
| Hexachlorocyclohexane (gamma) [Lindane] | N/A | 0.0752 | 1/day | Composite |
| Hexachlorocyclopentadiene | N/A | 3.7 | 1/day | Composite |
| Hexachloroethane | N/A | 2.33 | 1/day | Composite |
| Hexachlorophene | N/A | 3.96 | 1/day | Composite |
| Indeno(1,2,3-cd)pyrene | N/A | 0.013 | 1/day | Composite |
| Isophorone | N/A | 650 | 1/day | Composite |
| Isopropylbenzene | N/A | 8440 | 1/day | Composite |

TPDES Permit No. WQ0001984000

Intercontinental Terminals Company LLC

| Effluent Characteristics | Minimum Self-Monitoring Requirements | | | |
|---|--------------------------------------|---------------|--|-------------|
| | Daily Average | Daily Maximum | Report Daily Average and Daily Maximum | |
| | µg/L | µg/L | Measurement Frequency | Sample Type |
| m,p-Xylene | N/A | 24000 | 1/day | Composite |
| Malathion | N/A | 0.00896 | 1/day | Composite |
| m-Dichlorobenzene [1,3-Dichlorobenzene] | N/A | 31.0 | 1/day | Composite |
| Methoxychlor | N/A | 0.0269 | 1/day | Composite |
| Methyl acetate | N/A | 822000 | 1/day | Composite |
| Methyl bromide | N/A | 600 | 1/day | Composite |
| Methyl Chloride | N/A | 86.0 | 1/day | Composite |
| Methyl ethyl ketone (2-Butanone) | N/A | 992000 | 1/day | Composite |
| Methyl tert-butyl ether [MTBE] | N/A | 15.0 | 1/day | Composite |
| Methylcyclohexane | N/A | 157000 | 1/day | Composite |
| Methylene bromide | N/A | 4300 | 1/day | Composite |
| Methylnaphthalene | N/A | 0.29 | 1/day | Composite |
| Mirex | N/A | 0.000896 | 1/day | Composite |
| Naphthalene | N/A | 22.0 | 1/day | Composite |
| n-Butylbenzene | N/A | 1200 | 1/day | Composite |
| n-Decane | N/A | 390 | 1/day | Composite |
| Nitrobenzene | N/A | 27.0 | 1/day | Composite |
| N-Nitrosodiethylamine | N/A | 2.87 | 1/day | Composite |
| n-Nitrosodimethylamine | N/A | 30.0 | 1/day | Composite |
| N-Nitroso-di-n-Butylamine | N/A | 5.74 | 1/day | Composite |
| N-Nitrosodi-n-propylamine | N/A | 5.1 | 1/day | Composite |
| TPDES Permit No. WQ0001984000 | | | Intercontinental Terminals Company LLC | |

| Effluent Characteristics | Minimum Self-Monitoring Requirements | | | |
|---|--------------------------------------|---------------|--|-------------|
| | Daily Average | Daily Maximum | Report Daily Average and Daily Maximum | |
| | µg/L | µg/L | Measurement Frequency | Sample Type |
| N-Nitrosodiphenylamine | N/A | 60.0 | 1/day | Composite |
| n-Octadecane | N/A | 0.29 | 1/day | Composite |
| Nonylphenol | N/A | 1.52 | 1/day | Composite |
| n-Propylbenzene | N/A | 2350 | 1/day | Composite |
| o-Chlorotoluene | N/A | 2420 | 1/day | Composite |
| o-Cresol | N/A | 500 | 1/day | Composite |
| o-Dichlorobenzene [1,2-Dichlorobenzene] | N/A | 77.0 | 1/day | Composite |
| Total Petroleum Hydrocarbons | N/A | 15000 | 1/day | Composite |
| o-Xylene | N/A | 24000 | 1/day | Composite |
| p-Chlorotoluene | N/A | 2120 | 1/day | Composite |
| p-Cresol | N/A | 180 | 1/day | Composite |
| p-Dichlorobenzene [1,4-Dichlorobenzene] | N/A | 15.0 | 1/day | Composite |
| Pentachlorobenzene | N/A | 0.485 | 1/day | Composite |
| Pentachlorophenol | N/A | 0.29 | 1/day | Composite |
| Phenanthrene | N/A | 3.62 | 1/day | Composite |
| Phenol | N/A | 15 | 1/day | Composite |
| Phosphate (as PO ₄) | N/A | 15000 | 1/day | Composite |
| p-Isopropyltoluene | N/A | 3700 | 1/day | Composite |
| Polychlorinated Biphenyls [PCBs] | N/A | 0.000874 | 1/day | Composite |
| Pyrene | N/A | 0.24 | 1/day | Composite |

TPDES Permit No. WQ0001984000

Intercontinental Terminals Company LLC

Effluent Characteristics

Minimum Self-Monitoring Requirements

| | Daily Average | Daily Maximum | Report Daily Average and Daily Maximum | |
|--|---------------|---------------|--|-------------|
| | µg/L | µg/L | Measurement Frequency | Sample Type |
| Pyridine | N/A | 0.29 | 1/day | Composite |
| sec-Butylbenzene | N/A | 1580 | 1/day | Composite |
| Styrene | N/A | 455 | 1/day | Composite |
| Sulfide (as S) | N/A | 200 | 1/day | Composite |
| tert-Butylbenzene | N/A | 1400 | 1/day | Composite |
| Tetrachloroethylene | N/A | 0.29 | 1/day | Composite |
| Toluene | N/A | 26.0 | 1/day | Composite |
| Total BTEX (*2) | N/A | 140 | 1/day | Composite |
| Total Organic Nitrogen | N/A | 6580 | 1/day | Composite |
| Total Purgeable Halocarbons | N/A | 100 | 1/day | Composite |
| Total Suspended Solids | N/A | 27300 | 1/day | Composite |
| Toxaphene | N/A | 0.000179 | 1/day | Composite |
| trans-1,2-Dichloroethene | N/A | 6950 | 1/day | Composite |
| trans-1,3-Dichloropropene | N/A | 119 | 1/day | Composite |
| Tributyltin [TBT] | N/A | 0.00663 | 1/day | Composite |
| Trichloroethylene [Trichloroethene] | N/A | 21.0 | 1/day | Composite |
| Trichlorofluoromethane | N/A | 43300 | 1/day | Composite |
| Vinyl Chloride | N/A | 16.5 | 1/day | Composite |
| Xylenes, Total | N/A | 850 | 1/day | Composite |

1. The pH shall not be less than 6.0 standard units nor greater than 9.0 standard units and shall be monitored 1/day by grab sample.
2. There shall be no discharge of floating solids or visible foam in other than trace amounts and no discharge of visible oil.
3. Effluent monitoring samples shall be taken at the following location: At Outfall 002, at the point of discharge from the weir box into Tucker Bayou and just south of Tidal Road.
4. Unless otherwise specified, the results of effluent monitoring data shall be submitted each day, to David Galindo, Division Director, Water Quality Division, within twelve hours of the permittee having received the results from a National Environmental Laboratory Accreditation Certification (NELAC)-certified lab. Monitoring results must be signed and certified as required by 30 Texas Administrative Code (TAC) Section 305.44. The report must include all results from all required monitoring.

(*1) The approved analytical methods for cyanide include any procedure for total cyanide, weak acid dissociable cyanide, or cyanide amenable to chlorination from the latest edition of Standard Methods or in 40 CFR Part 136. An alternate test method may be used upon approval by the Executive Director.

(*2) Total BTEX shall be measured as the sum of Benzene, Toluene, Ethylbenzene, and total Xylenes.